

# Fichier de configuration Xresources

ou comment configurer les couleurs dans son terminal et ses applications CLI...

- Objet : configurer l'apparence du terminal et de quelques applications simples
- Niveau requis :  
[débutant](#)
- Commentaires : *configuration fine de son environnement.*
- Débutant, à savoir : [Utiliser GNU/Linux en ligne de commande, tout commence là !](#) 😊

le fichier **~/.Xresources** est lu en début de session et permet d'appliquer certaines options aux applications y faisant appel. le fichier est explicite et n'a besoin d'aucun wiki en fait :)

## processus :

- j'édite le fichier ~/.Xresources avec un éditeur de texte
- je lance la commande pour intégrer les modifications

```
xrdb -merge ~/.Xresources
```

je vous présente ici 6 'colorscheme' et leurs codes respectifs.

## livarp



[livarp.xresources](#)

```
! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
-

! dzen2 -----
-
dzen2.font:  -*-fixed-*-10-70-*-*-*-*
dzen2.foreground: #C7C7C7
dzen2.background: #222222

! Xcursor settings -----
-
Xcursor.theme: ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
```

```
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull

! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Background: black
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-*-*-12-*-*-*-*-*-
xterm*Foreground: grey80
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off

! xcolorsel -----
-
xcolorsel*Background: grey20
xcolorsel*Foreground: grey80
xcolorsel*Font: *-terminus-medium-*-*-12-*-*-*-*-*-
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggb
xcolorsel*maxRows: 99

! xfontsel -----
-
xfontsel*Background: grey20
xfontsel*Foreground: grey80

! xosview -----
-
xosview*font: *-terminus-medium-*-*-12-*-*-*-*-*-
xosview*background: grey20
xosview*foreground: grey80
```

```
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*foreground: grey40
xclock*background: black
xclock*font: *-fixed-*-8-*-*-*-*-*-*

! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.foreground: #bcbcbc
URxvt.background: #000000
```

```
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
URxvt.transparent: true
URxvt.tintColor: #999999
URxvt.fading: 40
URxvt.visualBell: true
URxvt.urgentOnBell: true
URxvt.font: *-terminus-medium-*-*-12-*-*-*-*-*-
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06
! black
URxvt.color0: #2E3436
URxvt.color8: #555753
! red
URxvt.color1: #CC0000
URxvt.color9: #EF2929
! green
URxvt.color2: #4E9A06
URxvt.color10: #8AE234
! yellow
URxvt.color3: #C4A000
URxvt.color11: #FCE94F
! blue
URxvt.color4: #3465A4
URxvt.color12: #729FCF
! purple
URxvt.color5: #75507B
URxvt.color13: #AD7FA8
! cyan
URxvt.color6: #06989A
URxvt.color14: #34E2E2
! white
URxvt.color7: #D3D7CF
URxvt.color15: #EEEEEC

! aterm -----
-
Aterm*background: #000000
Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
```

```
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-*-*12-*-*-*-*-*
Aterm*geometry: 80x25
Aterm*fading: 70
!colors
!black
Aterm*color0: #2E3436
Aterm*color8: #555753
!red
Aterm*color1: #CC0000
Aterm*color9: #EF2929
!green
Aterm*color2: #4E9A06
Aterm*color10: #8AE234
!yellow
Aterm*color3: #C4A000
Aterm*color11: #FCE94F
!blue
Aterm*color4: #3465A4
Aterm*color12: #729FCF
!magenta
Aterm*color5: #75507B
Aterm*color13: #AD7FA8
!cyan
Aterm*color6: #06989A
Aterm*color14: #34E2E2
!white
Aterm*color7: #D3D7CF
Aterm*color15: #EEEEEC

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
```

```
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:      /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

## livarp clear



[livarp\\_clear.xresources](#)

```
! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
-

! dzen2 -----
-
dzen2.font:  -*-fixed-***-10-70-***-***
dzen2.background: #C7C7C7
dzen2.foreground: #222222
```

```
! Xcursor settings -----
-
Xcursor.theme: ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull

! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Background: grey90
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-*-*-12-*-*-*-*-*-
xterm*Foreground: grey30
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off

! xcolorsel -----
-
xcolorsel*Background: grey80
xcolorsel*Foreground: grey20
xcolorsel*Font: *-terminus-medium-*-*-12-*-*-*-*-*-
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggbb
xcolorsel*maxRows: 99

! xfontsel -----
```

```
-
xfontsel*Background: grey80
xfontsel*Foreground: grey20

! xosview -----
-
xosview*font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
xosview*background: grey80
xosview*foreground: grey20
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M:%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*foreground: #bcbcbc
xclock*background: #E6E6E6
xclock*font: *-fixed-*-*-*8-*-*-*-*-*-*
```



```
! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.foreground: #bcbcbc
URxvt.background: #E6E6E6
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
!URxvt.transparent: true
URxvt.tintColor: #E6E6E6
URxvt.fading: 40
URxvt.visualBell: true
URxvt.urgentOnBell: true
URxvt.font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06
! black
URxvt.color0: #2E3436
URxvt.color8: #555753
! red
URxvt.color1: #CC0000
URxvt.color9: #EF2929
! green
URxvt.color2: #4E9A06
URxvt.color10: #8AE234
! yellow
URxvt.color3: #C4A000
URxvt.color11: #FCE94F
! blue
URxvt.color4: #3465A4
URxvt.color12: #729FCF
! purple
URxvt.color5: #75507B
URxvt.color13: #AD7FA8
! cyan
URxvt.color6: #06989A
URxvt.color14: #34E2E2
! white
URxvt.color7: #D3D7CF
URxvt.color15: #EEEEEC
```

```
! aterm -----
-
Aterm*background: #E6E6E6
Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-*-12-*-*-*-*-*-
Aterm*geometry: 80x25
Aterm*fading: 70
!colors
!black
Aterm*color0: #2E3436
Aterm*color8: #555753
!red
Aterm*color1: #CC0000
Aterm*color9: #EF2929
!green
Aterm*color2: #4E9A06
Aterm*color10: #8AE234
!yellow
Aterm*color3: #C4A000
Aterm*color11: #FCE94F
!blue
Aterm*color4: #3465A4
Aterm*color12: #729FCF
!magenta
Aterm*color5: #75507B
Aterm*color13: #AD7FA8
!cyan
Aterm*color6: #06989A
Aterm*color14: #34E2E2
!white
Aterm*color7: #D3D7CF
Aterm*color15: #EEEEEC

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
```

```
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:      /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

## livarp monochrome



[livarp\\_mono.xresources](#)

```
! author: arpinux <http://arpinux.org>
```

```
! ~/.Xresources configuration file
!-----
-

! monochrome colorscheme -----
-
! black
*color0: #292929
*color8: #5A5A5A
! red
*color1: #494949
*color9: #7A7A7A
! green
*color2: #696969
*color10: #9A9A9A
! yellow
*color3: #B3B3B3
*color11: #C2C2C2
! blue
*color4: #898989
*color12: #A3A3A3
! purple
*color5: #595959
*color13: #737373
! cyan
*color6: #969696
*color14: #ADADAD
! white
*color7: #D7D7D7
*color15: #EEEEEC

! dzen2 -----
-
dzen2.font:  -*-fixed-***-10-70-***-***
dzen2.foreground: #7D7D7D
dzen2.background: #222222

! Xcursor settings -----
-
Xcursor.theme: ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull
```

```
! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Background: black
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
xterm*Foreground: grey80
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off

! xcolorsel -----
-
xcolorsel*Background: grey20
xcolorsel*Foreground: grey80
xcolorsel*Font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggb
xcolorsel*maxRows: 99

! xfontsel -----
-
xfontsel*Background: grey20
xfontsel*Foreground: grey80

! xosview -----
-
xosview*font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
xosview*background: grey20
xosview*foreground: grey80
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
```

```
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M:%P %a %b %d, %Y
```

```
! xclock -----
-
```

```
xclock*update: 1
xclock*analog: false
xclock*foreground: grey40
xclock*background: black
xclock*font: *-fixed-*-8-*-*-*-*-*
```

```
! urxvt config -----
-
```

```
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.foreground: #bcbcbc
URxvt.background: #000000
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
URxvt.transparent: true
URxvt.tintColor: #999999
URxvt.fading: 40
```

```
URxvt.visualBell: true
URxvt.urgentOnBell: true
URxvt.font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #D7D7D7
! black
URxvt.color0: #292929
URxvt.color8: #5A5A5A
! red
URxvt.color1: #494949
URxvt.color9: #7A7A7A
! green
URxvt.color2: #696969
URxvt.color10: #9A9A9A
! yellow
URxvt.color3: #B3B3B3
URxvt.color11: #C2C2C2
! blue
URxvt.color4: #898989
URxvt.color12: #A3A3A3
! purple
URxvt.color5: #595959
URxvt.color13: #737373
! cyan
URxvt.color6: #969696
URxvt.color14: #ADADAD
! white
URxvt.color7: #D7D7D7
URxvt.color15: #EEEEEC

! aterm -----
-
Aterm*background: #000000
Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
Aterm*geometry: 80x25
```

```
Aterm*fading: 70
```

```
! xcalc -----  
-  
xcalc*geometry: 200x275  
xcalc.ti.bevel.background: #111111  
xcalc.ti.bevel.screen.background: #000000  
xcalc.ti.bevel.screen.DEG.background: #000000  
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen  
xcalc.ti.bevel.screen.GRAD.background: #000000  
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen  
xcalc.ti.bevel.screen.RAD.background: #000000  
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen  
xcalc.ti.bevel.screen.INV.background: #000000  
xcalc.ti.bevel.screen.INV.foreground: Red  
xcalc.ti.bevel.screen.LCD.background: #000000  
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen  
xcalc.ti.bevel.screen.LCD.shadowWidth: 0  
xcalc.ti.bevel.screen.M.background: #000000  
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen  
xcalc.ti.bevel.screen.P.background: #000000  
xcalc.ti.bevel.screen.P.foreground: Yellow  
xcalc.ti.Command.foreground: White  
xcalc.ti.Command.background: #777777  
xcalc.ti.button5.background: Orange3  
xcalc.ti.button19.background: #611161  
xcalc.ti.button18.background: #611161  
xcalc.ti.button20.background: #611111  
!uncomment to change label on division button  
!xcalc.ti.button20.label:     /  
xcalc.ti.button25.background: #722222  
xcalc.ti.button30.background: #833333  
xcalc.ti.button35.background: #944444  
xcalc.ti.button40.background: #a55555  
xcalc.ti.button22.background: #222262  
xcalc.ti.button23.background: #222262  
xcalc.ti.button24.background: #222272  
xcalc.ti.button27.background: #333373  
xcalc.ti.button28.background: #333373  
xcalc.ti.button29.background: #333373  
xcalc.ti.button32.background: #444484  
xcalc.ti.button33.background: #444484  
xcalc.ti.button34.background: #444484  
xcalc.ti.button37.background: #555595  
xcalc.ti.button38.background: #555595  
xcalc.ti.button39.background: #555595  
XCalc*Cursor: hand2  
XCalc*ShapeStyle: rectangle  
!  
! eof -----  
-
```



# Solarized



solarized.xresources

```
! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
-

!! drop in Solarized colorscheme for Xresources/Xdefaults

!!SOLARIZED HEX      16/8 TERMCOL  XTERM/HEX   L*A*B        RGB
HSB
!!-----
-----
!!base03    #002b36  8/4 brblack  234 #1c1c1c 15 -12 -12    0  43  54
193 100  21
!!base02    #073642  0/4 black   235 #262626 20 -12 -12    7  54  66
192  90  26
!!base01    #586e75 10/7 brgreen  240 #585858 45 -07 -07   88 110 117
194  25  46
!!base00    #657b83 11/7 bryellow 241 #626262 50 -07 -07  101 123 131
195  23  51
!!base0     #839496 12/6 brblue   244 #808080 60 -06 -03  131 148 150
186  13  59
!!base1     #93a1a1 14/4 brcyan   245 #8a8a8a 65 -05 -02  147 161 161
180  9   63
!!base2     #eee8d5  7/7 white   254 #e4e4e4 92 -00  10  238 232 213
44  11  93
!!base3     #fdf6e3 15/7 brwhite  230 #ffffd7 97  00  10  253 246 227
44  10  99
!!yellow    #b58900  3/3 yellow   136 #af8700 60  10  65  181 137  0
45 100  71
!!orange    #cb4b16  9/3 brred    166 #d75f00 50  50  55  203  75  22
18  89  80
!!red       #dc322f  1/1 red      160 #d70000 50  65  45  220  50  47
1  79  86
!!magenta   #d33682  5/5 magenta  125 #af005f 50  65 -05  211  54 130
331  74  83
!!violet    #6c71c4 13/5 brmagenta 61 #5f5faf 50  15 -45  108 113 196
237  45  77
!!blue      #268bd2  4/4 blue      33 #0087ff 55 -10 -45  38 139 210
205  82  82
!!cyan      #2aa198  6/6 cyan      37 #00afaf 60 -35 -05  42 161 152
175  74  63
!!green     #859900  2/2 green     64 #5f8700 60 -20  65  133 153  0
68 100  60
```

```
#define S_base03      #002b36
#define S_base02      #073642
#define S_base01      #586e75
#define S_base00      #657b83
#define S_base0       #839496
#define S_base1       #93a1a1
#define S_base2       #eee8d5
#define S_base3       #fdf6e3
#define S_yellow      #b58900
#define S_orange      #cb4b16
#define S_red         #dc322f
#define S_magenta     #d33682
#define S_violet      #6c71c4
#define S_blue        #268bd2
#define S_cyan        #2aa198
#define S_green       #859900

*background:         S_base03
*foreground:         S_base00
*fading:              40
*fadeColor:          S_base03
*cursorColor:        S_base1
*pointerColorBackground:S_base01
*pointerColorForeground:S_base1

!! black dark/light
*color0:              S_base02
*color8:              S_base03

!! red dark/light
*color1:              S_red
*color9:              S_orange

!! green dark/light
*color2:              S_green
*color10:             S_base01

!! yellow dark/light
*color3:              S_yellow
*color11:             S_base00

!! blue dark/light
*color4:              S_blue
*color12:             S_base0

!! magenta dark/light
*color5:              S_magenta
*color13:             S_violet

!! cyan dark/light
*color6:              S_cyan
```

```
*color14:                S_base1

!! white dark/light
*color7:                  S_base2
*color15:                 S_base3


! dzen2 -----
-
dzen2.font: *-fixed-**-**-10-70-**-**-**-*

! Xcursor settings -----
-
Xcursor.theme: ATER_Blue


! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull


! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-**-**-12-**-**-**-*
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off


! xcolorsel -----
-
```

```
xcolorsel*Font: -*-terminus-medium-*-*-*12-*-*-*-*-*-*
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggbb
xcolorsel*maxRows: 99

! xfontsel -----
-
!xfontsel*Background: grey20
!xfontsel*Foreground: grey80

! xosview -----
-
xosview*font: -*-terminus-medium-*-*-*12-*-*-*-*-*-*
!xosview*background: grey20
!xosview*foreground: grey80
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont: -*-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: -*-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: -*-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: -*-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: -*-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: -*-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: -*-dina-bold-r-*-*12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
!xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M%P %a %b %d, %Y

! xclock -----
```

```
-
xclock*update: 1
xclock*analog: false
xclock*font: *-fixed-*-8-*-*-*-*-*
! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
!URxvt.transparent: true
URxvt.visualBell: true
URxvt.urgentOnBell: true
!URxvt.tintColor: #999999
URxvt.font: *-terminus-medium-*-12-*-*-*-*-*
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06

! aterm -----
-
!Aterm*background: #000000
!Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-12-*-*-*-*-*
Aterm*geometry: 80x25
Aterm*fading: 70

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
```

```
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:      /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

## Solarized clear



## solarized\_clear.xresources

```

! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
!-----
-

!! drop in Solarized colorscheme for Xresources/Xdefaults

!!SOLARIZED HEX      16/8 TERMCOL  XTERM/HEX    L*A*B        RGB
HSB
!!-----
-----
!!base03    #002b36  8/4 brblack  234 #1c1c1c 15 -12 -12    0  43  54
193 100  21
!!base02    #073642  0/4 black    235 #262626 20 -12 -12    7  54  66
192  90  26
!!base01    #586e75 10/7 brgreen  240 #585858 45 -07 -07   88 110 117
194  25  46
!!base00    #657b83 11/7 bryellow 241 #626262 50 -07 -07  101 123 131
195  23  51
!!base0     #839496 12/6 brblue   244 #808080 60 -06 -03  131 148 150
186  13  59
!!base1     #93a1a1 14/4 brcyan   245 #8a8a8a 65 -05 -02  147 161 161
180  9   63
!!base2     #eee8d5  7/7 white    254 #e4e4e4 92 -00  10  238 232 213
44  11  93
!!base3     #fdf6e3 15/7 brwhite  230 #ffffd7 97  00  10  253 246 227
44  10  99
!!yellow    #b58900  3/3 yellow   136 #af8700 60  10  65  181 137  0
45 100  71
!!orange    #cb4b16  9/3 brred    166 #d75f00 50  50  55  203  75  22
18  89  80
!!red       #dc322f  1/1 red      160 #d70000 50  65  45  220  50  47
1  79  86
!!magenta   #d33682  5/5 magenta  125 #af005f 50  65 -05  211  54 130
331  74  83
!!violet    #6c71c4 13/5 brmagenta 61 #5f5faf 50  15 -45  108 113 196
237  45  77
!!blue      #268bd2  4/4 blue      33 #0087ff 55 -10 -45  38 139 210
205  82  82
!!cyan      #2aa198  6/6 cyan      37 #00afaf 60 -35 -05  42 161 152
175  74  63
!!green     #859900  2/2 green     64 #5f8700 60 -20  65  133 153  0
68 100  60

#define S_base03    #002b36
#define S_base02    #073642
#define S_base01    #586e75
#define S_base00    #657b83
#define S_base0     #839496

```

```
#define S_base1      #93a1a1
#define S_base2      #eee8d5
#define S_base3      #fdf6e3
#define S_yellow     #b58900
#define S_orange     #cb4b16
#define S_red        #dc322f
#define S_magenta    #d33682
#define S_violet     #6c71c4
#define S_blue       #268bd2
#define S_cyan       #2aa198
#define S_green      #859900

*background:        S_base00
*foreground:        S_base03
*fading:            40
*fadeColor:         S_base00
*cursorColor:       S_base1
*pointerColorBackground:S_base01
*pointerColorForeground:S_base1

!! black dark/light
*color0:            S_base02
*color8:            S_base03

!! red dark/light
*color1:            S_red
*color9:            S_orange

!! green dark/light
*color2:            S_green
*color10:           S_base01

!! yellow dark/light
*color3:            S_yellow
*color11:           S_base00

!! blue dark/light
*color4:            S_blue
*color12:           S_base0

!! magenta dark/light
*color5:            S_magenta
*color13:           S_violet

!! cyan dark/light
*color6:            S_cyan
*color14:           S_base1

!! white dark/light
*color7:            S_base2
*color15:           S_base3
```



```
! dzen2 -----
-
dzen2.font: *-fixed-*-*-10-70-*-*-*-*-*

! Xcursor settings -----
-
Xcursor.theme: ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull

! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-*-*-12-*-*-*-*-*
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off

! xcolorsel -----
-
xcolorsel*Font: *-terminus-medium-*-*-12-*-*-*-*-*
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggb
xcolorsel*maxRows: 99
```

```
! xfontsel -----
-
!xfontsel*Background: grey20
!xfontsel*Foreground: grey80

! xosview -----
-
xosview*font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
!xosview*background: grey20
!xosview*foreground: grey80
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
!xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M:%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*font: *-fixed-*-*-*8-*-*-*-*-*-*
```

```
! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
!URxvt.transparent: true
URxvt.visualBell: true
URxvt.urgentOnBell: true
!URxvt.tintColor: #999999
URxvt.font: *-terminus-medium-*-12-*-*-*-*-*
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06

! aterm -----
-
!Aterm*background: #000000
!Aterm*foreground: #bcbcbc
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-12-*-*-*-*-*
Aterm*geometry: 80x25
Aterm*fading: 70

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
```

```
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:      /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

## Tango



[tango.xresources](http://tango.xresources)

```
! author: arpinux <http://arpinux.org>
! ~/.Xresources configuration file
! -----
```

```
-

!tango colors
#define S_base03      #555753
#define S_base02      #2e3436
#define S_base01      #8ae234
#define S_base00      #fce94f
#define S_base0       #729fcf
#define S_base1       #00f5e9
#define S_base2       #d3d7cf
#define S_base3       #eeeeec
#define S_yellow      #c4a000
#define S_orange      #ef2929
#define S_red         #cc0000
#define S_magenta     #75507b
#define S_violet      #ad7fa8
#define S_blue        #00afff
#define S_cyan        #0b939b
#define S_green       #4e9a06

*background:         S_base03
*foreground:         S_base00
*fading:              40
*fadeColor:          S_base03
*cursorColor:        S_base1
*pointerColorBackground:S_base01
*pointerColorForeground:S_base1

!! black dark/light
*color0:              S_base02
*color8:              S_base03

!! red dark/light
*color1:              S_red
*color9:              S_orange

!! green dark/light
*color2:              S_green
*color10:             S_base01

!! yellow dark/light
*color3:              S_yellow
*color11:             S_base00

!! blue dark/light
*color4:              S_blue
*color12:             S_base0

!! magenta dark/light
*color5:              S_magenta
*color13:             S_violet
```

```
!! cyan dark/light
*color6:                S_cyan
*color14:               S_base1

!! white dark/light
*color7:                S_base2
*color15:               S_base3

! dzen2 -----
-
dzen2.font: *-fixed-**-*-10-70-**-*-*-*-

! Xcursor settings -----
-
Xcursor.theme: ATER_Blue

! Xft settings -----
-
Xft.dpi: 96
Xft.autohint: 0
Xft.lcdfilter: lcddefault
Xft.antialias: 1
Xft.rgba: rgb
Xft.hinting: 1
Xft.hintstyle: hintfull

! xterm -----
-
xterm*saveLines: 1000
xterm*AllowIconInput: on
xterm*Border: gray
xterm*DeiconifyWarp: off
xterm*Font: *-terminus-medium-**-12-**-*-*-*-
xterm*InternalBorder: 1
xterm*MarginBell: off
xterm*MenuFont: fixed8
xterm*Mouse: yellow
xterm*TitleFont: vtbold
xterm*charClass: 33:48,37:48,45-47:48,64:48
xterm*colorAttrMode: true
xterm*colorMode: true
xterm*curses: on
xterm*cutNewline: off
xterm*jumpScroll: on
xterm*multiClickTime: 500
xterm*multiScroll: on
xterm*reverseVideo: on
xterm*reverseWrap: off
xterm*scrollBar: off
```

```
! xcolorsel -----
-
xcolorsel*Font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
xcolorsel.geometry: 399x595
xcolorsel*displayFormat: #rrggbb
xcolorsel*maxRows: 99

! xosview -----
-
xosview*font: *-terminus-medium-*-*-*12-*-*-*-*-*-*
xosview*net: true
xosview*netIface: eth0

! xscreensaver -----
-
!font settings
xscreensaver.Dialog.headingFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.bodyFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.labelFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.unameFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.buttonFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
xscreensaver.Dialog.dateFont: *-dina-medium-r-*-*12-*-*-*-*-*-*
xscreensaver.passwd.passwdFont: *-dina-bold-r-*-*12-*-*-*-*-*-*
!general dialog box (affects main hostname, username, password text)
xscreensaver.Dialog.foreground: #ffffff
xscreensaver.Dialog.background: #111111
xscreensaver.Dialog.topShadowColor: #111111
xscreensaver.Dialog.bottomShadowColor: #111111
xscreensaver.Dialog.Button.foreground: #666666
xscreensaver.Dialog.Button.background: #ffffff
!username/password input box and date text colour
xscreensaver.Dialog.text.foreground: #666666
xscreensaver.Dialog.text.background: #ffffff
xscreensaver.Dialog.internalBorderWidth: 24
xscreensaver.Dialog.borderWidth: 20
xscreensaver.Dialog.shadowThickness: 2
!timeout bar (background is actually determined by
Dialog.text.background)
xscreensaver.passwd.thermometer.foreground: #006aff
xscreensaver.passwd.thermometer.background: #000000
xscreensaver.passwd.thermometer.width: 8
!datestamp format--see the strftime(3) manual page for details
xscreensaver.dateFormat: %I:%M:%P %a %b %d, %Y

! xclock -----
-
xclock*update: 1
xclock*analog: false
xclock*font: *-fixed-*-*-*8-*-*-*-*-*-*
```

```
! urxvt config -----
-
URxvt.termName: rxvt-unicode
URxvt.imLocale: fr_FR.UTF-8
URxvt.saveLines: 5000
URxvt.cursorBlink: true
URxvt.cursorColor: #e0e080
URxvt.throughColor: #8080f0
URxvt.highlightColor: #343434
!URxvt.transparent: true
URxvt.visualBell: true
URxvt.urgentOnBell: true
!URxvt.tintColor: #999999
URxvt.font: *-terminus-medium-*-*-12-*-*-*-*-*-
URxvt.scrollBar: false
URxvt.scrollBar_right: false
URxvt.urlLauncher: luakit
URxvt.matcher.button: 3
URxvt.perl-ext-common: default,matcher
! colors
! link
URxvt.colorUL: #4E9A06

! aterm -----
-
Aterm*transparent: true
Aterm*shading: 80
Aterm*cursorColor: #d8d8d8
Aterm*scrollbars: false
Aterm*saveLines: 2000
Aterm*tinting: gray
Aterm*scrollBar: false
Aterm*transpscrollbar: true
Aterm*borderwidth: 0
Aterm*font: *-terminus-medium-*-*-12-*-*-*-*-*-
Aterm*geometry: 80x25
Aterm*fading: 70

! xcalc -----
-
xcalc*geometry: 200x275
xcalc.ti.bevel.background: #111111
xcalc.ti.bevel.screen.background: #000000
xcalc.ti.bevel.screen.DEG.background: #000000
xcalc.ti.bevel.screen.DEG.foreground: LightSeaGreen
xcalc.ti.bevel.screen.GRAD.background: #000000
xcalc.ti.bevel.screen.GRAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.RAD.background: #000000
xcalc.ti.bevel.screen.RAD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.INV.background: #000000
xcalc.ti.bevel.screen.INV.foreground: Red
```



```
xcalc.ti.bevel.screen.LCD.background: #000000
xcalc.ti.bevel.screen.LCD.foreground: LightSeaGreen
xcalc.ti.bevel.screen.LCD.shadowWidth: 0
xcalc.ti.bevel.screen.M.background: #000000
xcalc.ti.bevel.screen.M.foreground: LightSeaGreen
xcalc.ti.bevel.screen.P.background: #000000
xcalc.ti.bevel.screen.P.foreground: Yellow
xcalc.ti.Command.foreground: White
xcalc.ti.Command.background: #777777
xcalc.ti.button5.background: Orange3
xcalc.ti.button19.background: #611161
xcalc.ti.button18.background: #611161
xcalc.ti.button20.background: #611111
!uncomment to change label on division button
!xcalc.ti.button20.label:      /
xcalc.ti.button25.background: #722222
xcalc.ti.button30.background: #833333
xcalc.ti.button35.background: #944444
xcalc.ti.button40.background: #a55555
xcalc.ti.button22.background: #222262
xcalc.ti.button23.background: #222262
xcalc.ti.button24.background: #222272
xcalc.ti.button27.background: #333373
xcalc.ti.button28.background: #333373
xcalc.ti.button29.background: #333373
xcalc.ti.button32.background: #444484
xcalc.ti.button33.background: #444484
xcalc.ti.button34.background: #444484
xcalc.ti.button37.background: #555595
xcalc.ti.button38.background: #555595
xcalc.ti.button39.background: #555595
XCalc*Cursor: hand2
XCalc*ShapeStyle: rectangle
!
! eof -----
-
```

From:

<http://debian-facile.org/> - **Documentation - Wiki**

Permanent link:

<http://debian-facile.org/utilisateurs:arpinux:tutos:cli-colorscheme>



Last update: **02/07/2016 19:17**