

Mes scripts pour Nautilus

- Objet : Liste de scripts pour nautilus
- Niveau requis :
[débutant](#)
- Commentaires : *Scripts à copier dans ~/.local/share/nautilus/script et activable avec un clic droit depuis Nautilus*
- Débutant, à savoir : [Utiliser GNU/Linux en ligne de commande, tout commence là !](#) 😊

Copier tous les fichiers sauf les RAW depuis un appareil photo raccordé en USB

[leaveRawCp](#)

```
#!/bin/bash
#Nautilus script that copy only non RAW files from camera to Disk
#Images are placed in /Your_destination/Year/Month/Day path

#Set extension of your RAW file here will not be copied. All other
files wil be copied
RAW="NEF"

#Set root destination repositorie of your Picures
DESTINATION_REP=~/.Images

for image in $NAUTILUS_SCRIPT_SELECTED_URIS
do
    IMAGE_NAME=${image##*/} #${image##*/} Extract file name from URI
    if [[ ${IMAGE_NAME#*.} != $RAW ]] # ${image#*.} extract extension
from file name
    then
        DESTINATION=$DESTINATION_REP/$(date -r $IMAGE_NAME
+%Y)/$(date -r $IMAGE_NAME +%m)/$(date -r $IMAGE_NAME +%d)
        mkdir -p $DESTINATION
        cp $IMAGE_NAME $DESTINATION
    fi
done
```

Déplacer tous les fichiers sauf les RAW depuis un appareil photo raccordé en USB

[leaveRawMv](#)

```
#!/bin/bash
#Nautilus script that copy only non RAW files from camera to Disk
#Images are placed in /Your_destination/Year/Month/Day path

#Set extension of your RAW file here will not be copied. All other
files will be copied
RAW="NEF"

#Set root destination repository of your Pictures
DESTINATION_REP=~/.Images

for image in $NAUTILUS_SCRIPT_SELECTED_URIS
do
    IMAGE_NAME=${image##*/} #${image##*/} Extract file name from URI
    if [[ ${IMAGE_NAME#*.} != $RAW ]] # ${image#*.} extract extension
from file name
    then
        DESTINATION=$DESTINATION_REP/$(date -r $IMAGE_NAME
+%Y)/$(date -r $IMAGE_NAME +%m)/$(date -r $IMAGE_NAME +%d)
        mkdir -p $DESTINATION
        mv $IMAGE_NAME $DESTINATION
    fi
done
```

Afficher la somme de contrôle MD5 d'un fichier

Dépendance : Zenity

Md5Sum

```
#!/bin/bash
zenity --info --title "MD5 Hash" --text $(md5sum $1)
```

From:

<http://debian-facile.org/> - **Documentation - Wiki**

Permanent link:

<http://debian-facile.org/utilisateurs:bendia:tutos:scripts-nautilus>

Last update: **17/02/2019 21:25**

